

Township No V 5 South of the Base Line, **Range No XIV** 14 West of the Meridian. Ind. & Ill.

Surveyed by Daniel Sullivan and
Arthur Henrie 1806 & 7.

The part within Shawnee Town Dist contains Ac. hu. 7,927.42

The part within Vincennes Dist contains 12 357.07

Description of the quality of the Land on the Interior Sectional Corners.

Between Sections	quality &c	Between Sections	quality &c	Between Section	quality &c
27. 28	Rich bottom, timber Elm &c Cane undergrowth	20. 21	Level rich bottom; timber Elm, Oak, Spice	12. 13	Thin soil; timber Oak, Dogwood & Sassafras
2. 11	Hilly & brushy East of bayou; West low rich bottom; Pawpaw	29. 30	Same	11. 12	Same
14. 15		28. 29	Same	1. 2	Same
10. 11	Level bottom timber Elm Hoopwood &c	22. 27	Same	24. 25	Very broken & rich, timber Beech & Ash
2. 3	Rich bottom; timber Hoopwood, Walnut & Spice; pawpaw	28. 22	Same	25. 35	Same
3. 10	Same	28. 21	Same	26. 27	Same
9. [illegible]	Level rich bottom, timber Hoopwood & Spice, Cane &c	15. 22	Same	30. 26	Very hilly; timber the Same
9	Level bottom, timber Hoopwood, Walnut &c	10. 21	Same	22. 23	Rich & level
5. 4	Rich bottom; timber Hoopwood, Ash &c	19. 20	Same	31. 32	Same
15. 16	Level rich bottom; timber Hoopwood, Ash &c	18. 19	Same	33. 33	Same
16. 15		6. 7	Same	12. 22	Good Oak timbered land & bottom
9. 16	Level rich bottom; timber Hoopwood Walnut &c	17. 20	Same	11. 10	Good Oak timbered land
5. 17	Same	7. 18	Same	33. 34	Broken
2. 3	Same	35. 36	Very broken, rich soil; timber Sugar & Oak	27. 28	Very broken & rich
5. 8	Same	26. 36	Same	27. 28	Rich level land
6. 5	Level second rate, timber Ash Oak & Spice &c	25. 26	Same		
[illegible]. 8	Same	23. 25	Same		
23. 22	Level rich bottom; timber Hoopwood, Elm Walnut &c	23. 24	Thin soil; timber Oak		
25. 24	Same	13. 24	Rich farming land; timber Sugar &c		
[illegible]. 25	Same	13. 14	Same		

151.83
57.70

108

Township No. 5 South of the Base Line Range No. 4 West.

Posts	Bearing trees	Inches diam.	Course they bear	Links dist.	quality &c.
A					From A to B
a					
B	Poplar	20	N 75 E	38	B to C
	B Oak	20	S 34 W	17	
b					
C	B Gum	20	S 41 W	25	C to D
	B Gum	10	N 35 E	52	
c					
D	Elm	10	S 55 W	14	D to E
	Hoopwood	15	N 35 E	20	
d					
E	Hoopwood	11	S 12.30 W	6	E to F
	Hickory	30	N 32 E		
e					
F	Gum	18	S 34 W	6	F to G
	Sugar	8	N 60 E	9	
f					
G	Hackberry	12	S 63 E	23	G to H rich, rolling; timber Oak, Poplar & Ash
	Hackberry	15	S 22 W	15	
g	W Oak	8	N 32 E	18	
	W Oak	23	S 36 W	22	
H	W Ash	11	N 15 E	8	H to I Same
	Hickory	3	S 29 W	12	
h	W Elm	8	N 81 E	23	
	Elm	10	N 16 W	30	
I	Poplar	29	S 60 W	9	I to K rich and level; timber Ash and Sugar
	Poplar	12	N 31 E	33	
i	W Oak	6	N 39 E	26	
	Red Bud	5	N 73 W	34	
K	Sugar	12	S 56 E	3	K to L Same
	Beech	12	N 43 W	21	
k	Sugar	8	N 65 E	9	
	Beech	9	S 68 W	52	
L	Beech	40	S 65 W	33	L to M rolling, rich; timber Sugar Beech &c
	Ironwood	4	N 40 E	3	
l	Poplar	31	N 60 W	3	
	Beech	3	N 72 E	3	
M	Beech	15	S 38 E	16	M to N Same
	Beech	12	N 78 W	31	
m	Sugar	5	N 11 E	35	
	Dogwood	6	S 51 W	26	
N	Sugar	10	N 67 W	15	N to O Very hilly, rich soil; timber Oak & Sugar
	Beech	5	N 50 E	14	
n	Poplar	31	S 53 W	27	
	Beech	6	N 55 E	23	
O	Beech	30	S 3 W	31	O to P Similar
	Beech	20	N 33 W	9	
o	Beech	24	N 75 E	9	
	Beech	12	S 70 W	32	
P	Sugar	5	S 11 E	13	P to Q Similar
	W Walnut	6	N 29 W	10	
p	Hickory	26	N 5 W	2	
	Dogwood	6	S 35 W	8	
Q	Sugar	20	N 17 E	20	Q to R Similar
	Sugar	20	S 17 W	25	
q	Sugar	12	S 7 E	26	
	Sugar	10	N 55 E	19	
R	Hackberry	10	N 5 W	7	R to S rich soil
	Sugar	7	S 4 W	12	
r	Hackberry	10	N 68 W	6	
	Hackberry	5	N 84 E	15	
S	W Oak	25	N 32 W	21	S to T Similar
	Elm	20	S 30 E	30	
ſ	Mulberry	12	N 72 E	15	
	W Ash	24	S 27 E	41	
T	Pawpaw	5	S 51 W	11	T to U
	Hackberry	12	N 11 E	20	
t					
U	W Oak	36	S 61 E	18	U to V
	B Oak	20	N 14 W	20	
u					
V	Sp Oak	26	N 41 E	30	V to W
	Elm	11	S 60 W	14	
v					
W	S Gum	18	N 63 E	33	W to X
	S Gum	25	S 32 W	54	
w					
X	Gum	24	S 62 E	36	X to Y
	B Oak	36	N 44 W	11	
x					
Y	Hickory	18	N 52 E	36	Y to A
	S Gum	22	S 69 W	25	

Interior Sectional Corners Described

Sectional Corners	Bearing trees	Inches diam.	Course they bear	Links dist.
25.26.35.36	Sugar	8	S 53 W	6
	Beech	11	S 44 E	25
23.24.25.26	Beech	5	N 80 E	18
	Poplar	5	S 71 W	22
13.14.23.24	Poplar	11	N 55 E	13
	W Oak	7	S 35 W	20
11.12.13.14	W Ash	15	S 4 E	18
	W Ash	10	S 40 W	7
1.2.11.12	Hickory	6	N 62 W	8
	Elm	7	S 18 E	16
26.27.34.35	Sugar	5	S 77 E	14
	Sugar	5	S 43 W	38
22.23.26.27	Hickory	11	S 73 E	20
	Hickory	5	N 78 W	6
27.28.33.34	Sugar	15	N 47 E	21
	W Ash	8	S 30 W	25
29.30.31.32	Sycamore	40	N 68 W	17
	Ash	20	S 66 E	38
28.29.32.33	Hoop Ash	13	S 52 E	24
	Hoopwood	10	N 55 W	31
21.22.27.28	Gum	36	N 11 E	20
	Box Elder	10	S 12 E	6
14.15.22.23	In River			
2.3.10.11	Packawn	15	N 24 E	20
	Ash	14	S 30 W	30
10.11.14.15	S Oak	40	S 39 W	13
	Dogwood	6	N 31 E	25
3.4.9.10	Cottonwood	18	N 58 W	38
	Maple	4	S 59 E	10
9.10.15.16	Elm	15	S 52 E	25
	Ash	16	N 63 W	12
8.9.16.17	Hoopwood	12	S 12 E	26
	Hoopwood	18	S 32 W	69
7.8.17.18	In river			
4.5.8.9	Mulberry	10	N 81 E	52
	Hickory	20	West	7
17.18.19.20	Hickory	14	S 81 E	35
	Hickory	12	N 75 W	25
5.6.7.8	Hickory	12	N 58 E	7
	Elm	8	S 84 W	10
20.21.28.29	Hoopwood	12	N 52 E	19
	W Walnut	36	S 30 W	42
19.20.29.30	Red Bud	6	S 66 W	36
	Hickory	14	N 52 E	75
15.16.21.22	Elm	10	N 26 E	2
	Walnut	25	S 75 W	21
16.17.20.21	Ash	9	N 76 E	16
	Hoopwood	11	S 51 W	32

Quarter Section Corners Described

From and To	Bearing trees	Inches diam.	Course they bear	Links dist.
M to U at	1 Hickory	18	N 3 E	18
	Beech	15	S 33 W	27
	2 Pawpaw	6	S 4 E	21
	Elm	5	S 81 E	25
	3 Sugar	11	S 31 E	13
	Hickory	7	N 55 W	13
	4 In river			
	5 Cottonwood	36	S 66 E	15
	Maple	8	N 73 W	19
	6 In river			
L to V at	1 B Walnut	28	S 85 E	5
	Elm	24	N 50 W	3
	2 Sugar	6	S 62 W	5
	Sugar	5	S 51 E	12
	3 Ash	12	N 33 W	3
	Ash	8	S 62 E	41
	4 B Oak	31	N 65 E	25
	Elm	12	S 22 W	30
	5 Elm	10	N 18 E	7
	Oak	5	S 49 W	11
	6 Hickory	15	N 30 W	31
	W Oak	20	S 27 E	11
K to W at	1 Dogwood	5	S 72 E	25
	Beech	6	S 39 W	23
	2 Dogwood	6	South	17
	Dogwood	4	N 42 W	18
	3 Mulberry	8	S 23 W	20
	Red Bud	7	N 35 W	20
	4 W Oak	12	N 13 E	28
	Hickory	3	S 55 W	21
	5 In river			
	6 Hickory	15	N 5 E	22
	Hickory	5	S 25 W	15

Quarter Section Corners Continued

From and To	Bearing trees	Inches diam.	Course they bear	Links dist.
I to X at	1 Hickory	12	N 85 E	24
	Dogwood	5	N 45 W	9
	2 Poplar	23	S 62 W	37
	Hickory	10	N 15 W	38
	3 In river			
	4 Elm	20	S 55 E	37
	Hickory	6	N 29 W	11
	5 Hoopwood	10	N 52 W	20
	Ash	4	S 23 E	5
	6 Elm	11	N 64 W	9
	Elm	18	S 68 E	33
H to T at	1 Gum	11	S 80 W	1
	Poplar	5	N 80 E	32
	2 Hackberry	10	N 69 W	18
	Mulberry	5	N 55 E	11
	3 Hoopwood	18	N 71.30 W	22
	Hoopwood	11	S 31 E	38
	4 Hoop Ash	12	N 34 W	16
	Walnut	48	S 5 E	34
	5 Ash	24	N 12 E	18
	Elm	24	S 21 W	12
	6 Hickory	15	S 29 E	11
	Hoop Ash	4	N 3 E	31
O to P at	1 Hickory	4	N 23 E	2
	Beech	5	S 25 W	5
	2 Sugar	21	N 18 E	20
	Elm	12	S 23 W	31
	3 Poplar	8	N 15 E	4
	W Oak	6	S 31 W	14
	4 W Oak	12	N 23 W	18
	Dogwood	5	S 54 E	27
	5 W Oak	24	S 33 W	23
	Gum	18	N 13 E	15
	6 Sugar	20	N 88 E	19
	Mulberry	5	N 70 W	17
P to K at	1 Beech	4	N 14 E	13
	Gum	15	S 61 W	21
	2 Dogwood	4	S 37.30 E	15
	Sugar	13	N 21 W	25
	3 B Walnut	23	S 31 W	13
	Pawpaw	5	N 16 E	15
	4 Box Elder	14	N 61 W	53
	Elm	9	S 49 E	24
	5 Maple	30	N 55 W	17
	Elm	4	S 41 E	43
	6 Hoopwood	16	N 74 E	40
	Hoopwood	10	S 74 W	12
Q to D at	1 W Oak	10	S 22 W	13
	Beech	8	N 68 E	
	2 In river			
	3 Hoopwood	14	N 33 E	34
	Red Bud	6	S 31 W	7
	4 In river			
	5 W Oaks	30	S 86 W	19
	Walnut	18	N 51 E	26
	6 Ash	21	N 25 W	31
	Hoopwood	18	S 32 E	25
R to C at	1 Elm	6	S 89 E	11
	Elm	6	S 14 W	23
	2 S Oak	26	S 14 E	10
	Honey Locust	12	N 21 W	26
	3 Hoopwood	10	N 73 W	21
	Hoopwood	8	S 12 E	17
	4 Hickory	11	N 11 E	22
	Hoopwood	18	S 31 W	42
	5 R Oak	14	N 76 W	11
	Hickory	14	N 65 W	31
	6 Hoopwood	10	N 11 E	30
	Hoopwood	24	S 59 W	25
S to B at	1 Hackberry	12	N 19.30 W	9
	Hackberry	8	S 19.30 E	13
	2 Packawn	16	N 36 E	17
	W Oak	20	S 55 E	25
	3 Hoopwood	8	S 25 W	33
	Hoopwood	2	N 37 E	23
	4 In river			
	5 Box Elder	24	S 10 W	25
	Hoopwood	6	N 26 E	23
	6 B Oak	11	N 17 E	23
	Hickory	6	S 23 W	13

9

HQ

Township No. 5 S. Range 14 W. 2nd Mer.



The foregoing Subdivisions of fractional Sections are truly
Copied from the Original plat in this Office:

Surveyor General's Office
Cincinnati, Apl. 24th. 1834

M. T. Williams
Sur. Genl.

Recd June 2 1834



Township N: 5 & 5 South; Range N: 14 & 15 2PM

Surveyed by Arthur Henrie &
Saml. Sullivan
Dep Survrs

Original.

[illegible]

IND

INDIANA.
S & W 2 P. M.

T. 5 S. R. 14 W.



DIAGRAM
OF
MINK ISLAND
IN THE
WABASH RIVER
Sections 14, 22 and 23. T. 5 S. R. 14 W.
INDIANA.
1888.

Scale 20 Chains to an Inch.

MEANDERS of MINK ISLAND.

Posts	Courses	Distance	Posts	Courses	Distance
		Chs. Lks.			Chs. Lks.
2	N. 15° E.	5.00		S. 18° W.	2.63
	N. 12° E.	3.73		S. 20° W.	5.00
	N. 15° E.	8.77		S. 13° W.	2.60
	N. 16° E.	8.30		S. 17° W.	2.37
	N. 12° E.	1.78	1	S. 25° W.	1.05
3	N. 12° E.	6.12		S. 24° W.	3.00
	S. 36° E.	1.15		S. 32° W.	6.50
	S. 9° E.	4.00		S. 34° W.	3.45
	S. 6° W.	1.12		S. 31° W.	2.40
4	S. 6° W.	4.11		S. 30° W.	2.83
	South	7.00		N. 38° W	1.42
	S. 2° W.	5.38		N. 14½° E.	13.00
	S. 5° W.	5.50		N. 16° E	12.00
	S. 17° W.	14.85	2	N. 14° E	13.28

J.B.S.

Department of the Interior.
General Land Office.

June the 8th 1889.

The above diagram of an Island in Sections 14, 22 and 23 T. 5 S. R. 14 W. 2nd Principal Meridian, Indiana, is a correct plat of a survey, executed by W. H. Whitworth, U. S. Deputy Surveyor in pursuance of Special Instructions from the General Land Office, bearing date the 5th day of July 1888, and is strictly conformable to the field notes thereof, which have been examined and approved.

W. M. Stone

acting *Commissioner and*
Ex Officio Surveyor General of Indiana.

107